

100 liter tank in Acid-proof 316



69 000 SEK /st exkl moms

Additional information: pharmacy; control cabinet (without guarantee of function)

Volumetric volume (L): 100 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 3,50 Bar



Min. pressure (Bar): 1 Bar

Max. temperature (°C): 150 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Max Overpressure: 3,50 Bar

Max onderdruk: 1 Bar

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: 15

Agitator: yes

Number of revolutions: 558

Power: 0,25

Internal diameter tank: 450 mm

Cylinder height: 600 mm

Total height of tank: 1.700 mm

Total outer width: 800 mm

Total outer length: 1.300 mm

SKU: 389888



Mer information

Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: single-skin

Max. Service Temperature: 150 °C

Mobile Tank: No, it is not.

Övrig information: pharmacy; control cabinet (without guarantee of function); we can't give any guarantees about the agitator

Agitator: Yes

Overpressure: 3,50 bar

Complete Drainage: Yes

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 100

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 600 mm

Internal diameter: 450 mm

Total Height: 1.700 mm



Stirrer

Power (kW): 0,25

Speed (RPM): 558

Mer

Isolated: No