1000 liter tank in 304 stainless steel

64 000 SEK /st exkl moms

Additional information: Spirits; Spray head connector slightly bent
Volumetric volume (L): 1.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Model: vertical

Configuration: insulated with heat-exchanger
Heat exchanger: yes
Insulation: yes
Mobile tank: no
Total discharge: yes

Type HE on the cylinder: half pipe welded onto the outside of the innertank
Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no

Position of manway: in the bottom
Outlet of tank: DN40 DIN 11851
Agitator: yes
Number of revolutions: 460
Power: 0,30

Internal diameter tank: 1.020 mm
Outer diameter tank: 1.180 mm
Cylinder height: 1.200 mm
Total height of tank: 2.500 mm

SKU: 412748

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Product Description

Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank: ATM – atmospheric
Configuration: insulated with heat-exchanger
Mobile Tank: No, it is not.
Övrig information: Spirits; Spray head connector slightly bent; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator
Agitator: Yes
Complete Drainage: Yes
Heating / Cooling: Yes
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 1000

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: No, it is not.
Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 1.200 mm
Internal diameter: 1.020 mm
Total Height: 2.500 mm
Outer diameter: 1.180 mm

Stirrer

Power (kW): 0,30
Speed (RPM): 460

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Mer
Isolated: Yes