


1000 liter tank in 304 stainless steel



Be om offert

Article type: second-hand mixing tank

Additional information: 1000 liter V mixer manufactured by Iprocinsa in stainless steel mounted on stainless steel lined structure with butterfly valve. Pneumatic vibrator at the bottom of the cone. With documentation and electrical panel; we can't give any guarantees about the agitator

Volumetric volume (L): 1.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no



Insulation: no

Mobile tank: no

Top type: dished

Shape of tank: cylindrical

Bottom type: strong conical

Total discharge: yes

Fixation points: 2 non adjustable feet

Suitable for food industry: yes

Documents included: yes, optional

Technical drawing included: yes

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 2

Position of manway: headside

Height manhole 1 (mm): 580 mm

Position 2nd manway: headside

Height manhole 2 (mm): 580

Tank outlet: inside Ø 250 mm

Total outlet valve: yes

Agitator: yes

Position engine: in the cylinder

Power: 5,50

Distance from outlet to ground: 310 mm

Total height of tank: 2.910 mm

Total outer width: 1.300 mm

Total outer length: 4.010 mm

SKU: 386504



Mer information

Product Description

Food-grade: Yes

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank:

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: 1000 liter V mixer manufactured by Iprocomsa in stainless steel mounted on stainless steel lined structure with butterfly valve. Pneumatic vibrator at the bottom of the cone.

With documentation and

Additional Information2: electrical panel.; we can't give any guarantees about the agitator

Agitator: Yes

Tank Shape: cylindrical

Complete Drainage:

Bottom Type: strong conical

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 1000

Equipment

Agitator flange: No

Nameplate: No, it is not.

Food-grade: Yes

Tank Outlet: inside Ø 250 mm

Technical Drawing Available: Yes

Outlet Valve: Yes

Material Overview

Material: Stainless steel 304



Tank Dimensions

Outlet Height to Ground: 310 mm

Total Height: 2,910 mm

Stirrer

Power (kW): 5,50

Motor Position: in the cylinder

Mer

Isolated: No