1000 liter tank in 304 stainless steel

53 000 SEK /st exkl moms

Additional information: 4 feet, Aisi 304, screwed into frame made of Fe (galvanized; upper struts slightly bent); scratches inside
Volumetric volume (L): 1.000 L
Pressure in tank: pressure
Max. pressure (Bar): 3 Bar

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Max. temperature (°C): 50 °C

Material wet parts: SS AISI 304 (V2A)
Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no

Mobile tank: no
Total discharge: yes
Max Overpressure: 3 Bar
Documents included: no
Technical drawing included: no

Registration plate on the tank: yes
Flange for agitator: no
Position of manway: in the bottom
Outlet of tank: 50
Internal diameter tank: 1.190 mm

Cylinder height: 690 mm
Total height of tank: 1.780 mm
Total outer width: 1.290 mm
Total outer length: 1.290 mm

SKU: 405893

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Product Description

Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank: pressure
Configuration: single-skin
Max. Service Temperature: 50 °C
Mobile Tank: No, it is not.
Övrig information: 4 feet, Aisi 304, screwed into frame made of Fe (galvanized; upper struts slightly bent); scratches inside
Agitator: No
Overpressure: 3 bars
Complete Drainage: Yes
Pressure Vessel: Yes
Heating / Cooling: No
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 1000

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: Yes
Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 690 mm
Internal diameter: 1,190 mm
Total Height: 1.780 mm

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Mer
Isolated: No

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor