

1000 liter tank in 304 stainless steel



31 000 SEK /st exkl moms

Article type: second-hand transport tank

Additional information: The tanks have been used once in the food industry supply and are in absolute new condition, complete technical file included.

Only what you see in the photos is with the tanks, there is no spray ball and there is no CO2 quick coupling as in the drawing, this can be ordered at an additional cost.

Volumetric volume (L): 1.000 L

Pressure in tank: pressure

Max. pressure (Bar): 2 Bar

Min. pressure (Bar): -15 Bar

Max. temperature (°C): 130 °C



Min. temperature (°C): -10 °C

Material wet parts: SS AISI 304L (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Top type: dished

Shape of tank: cylindrical

Bottom type: strong conical

Total discharge: yes

Fixation points: 4 stackable frame

Manway(s): RVS 304

Gasket manway(s): EPDM

Valve: RVS 304

Gasket shut-off valve (mat): EPDM

Suitable for food industry: yes

Documents included: yes, optional

Technical drawing included: yes

Registration plate on the tank: yes

Inspection of: TUV

Flange for agitator: no

Position of manway: at the top

Height manhole 1 (mm): 400 mm

CIP spray ball: no, optional

Tank outlet: inside Ø 50 mm

Outlet type: DIN11851 male

Total outlet valve: yes

Agitator: no, optional

Top: 2 mm

Cylinder: 2 mm

Bottom: 2,50 mm

Distance from outlet to ground: 200 mm

Outer diameter tank: 1.002 mm

Cylinder height: 965 mm

Height of bottom: 372 mm

Total height of tank: 1.840 mm

Empty weight tank: 180

SKU: 387389

Mer information



Product Description

Food-grade: Yes

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure

Configuration: single-skin

Max. Service Temperature: 130 °C

Min. Operating Temperature: -10 °C

Mobile Tank: No, it is not.

Övrig information: The tanks have been used once in the food industry supply and are in absolute new condition, complete technical file included. Only what you see in the photos is with the tanks, there is no spray

Additional Information2: ball and there is no CO2 quick coupling as in the drawing, this can be ordered at an additional cost.

Agitator: No

Overpressure: 2 bars

Tank Shape: cylindrical

Complete Drainage: Yes

Bottom Type: strong conical

Vacuum Pressure: -15 Bar

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304L (V2A)

Volume in liters: 1000

Equipment

Agitator flange: No

Nameplate: Yes

Food-grade: Yes

Inspected by: TUV

Tank Outlet: inside Ø 50 mm

Technical Drawing Available: Yes

Outlet Type: DIN11851 male

Outlet Valve: Yes



Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 965 mm

Outlet Height to Ground: 200 mm

Total Height: 1.840 mm

Outer diameter: 1.002 mm

Tjocklek på tank

Bottom: 2,50 mm

Cylinder: 2 mm

Top: 2 mm

Mer

Isolated: No

Weight: 180