1000 liter tank in 304 stainless steel

21 000 SEK /st exkl moms

Additional information: Frame, stainless steel 304; manhole diameter approx. 505 mm; 1 small part of the containers is slightly higher with a total height of approx. 1,720 mm; minor dents in the lower base; outlets slightly pressed into the lower base; 1 frame strut is bent on 1 container; traces of usage
Volumetric volume (L): 1.000 L
Pressure in tank: ATM - atmosferic

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Material wet parts: SS AISI 316 (V4A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: headside

Outlet of tank: 72
Internal diameter tank: 1.120 mm
Cylinder height: 900 mm
Total height of tank: 1.680 mm
Total outer width: 1.200 mm

Total outer length: 1.200 mm
Empty weight tank: 500

SKU: 474443

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Product Description

Material: Acid-resistant 316
Model: Vertical
New / Used: Used
Operating Pressure in Tank: ATM – atmospheric
Configuration: single-skin
Mobile Tank: No, it is not.
Övrig information: Pharmacy; Frame, Aisi 304; Manhole diameter approx. 505 mm; 1 small part of the containers is slightly higher with a total height of approx. 1,720 mm; smaller dents in the lower bottom; Outlets
Additional Information2: slightly pressed into the lower bottom; 1 frame strut is bent in 1 container; traces of usage
Agitator: No
Complete Drainage: Yes
Heating / Cooling: No
Contact Surface: SS AISI 316 (V4A)
Volume in liters: 1000

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: Yes
Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 900 mm
Internal diameter: 1.120 mm
Total Height: 1.680 mm

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Mer
Isolated: No
Weight: 500