


1000 liter tank in 304 stainless steel



38 000 SEK /st exkl moms

Additional information: Copper insulating jacket

Volumetric volume (L): 1,000 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Agitator: yes

Power: 2.20

Total height of tank: 2.350 mm

Total outer width: 1,360 mm

Total outer length: 1,360 mm

SKU: 565790

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: insulated

Mobile Tank: No, it is not.

Övrig information: Copper insulating jacket; we can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage: No, it is not.

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 1000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Total Height: 2.350 mm

Stirrer

Power (kW): 2,20

Mer

Isolated: Yes