1000 liter tank in 304 stainless steel

64 000 SEK /st exkl moms

Additional information: chemistry; handhole cover is missing
Volumetric volume (L): 1.000 L
Pressure in tank: pressure
Max. pressure (Bar): 0,50 Bar

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Min. pressure (Bar): 0,50 Bar

Max. temperature (°C): 80 °C
Material wet parts: SS AISI 304 (V2A)
Model: vertical
Configuration: single-skin
Heat exchanger: no

Insulation: no
Mobile tank: no
Total discharge: yes
Volume: 26 L
Max Overpressure: 1 Bar

Max. working temperature: 80 °C
Type HE on the cylinder: half pipe welded onto the outside of the innertank
Heat exchanger: RVS 316
Documents included: no
Technical drawing included: no

Registration plate on the tank: yes
Flange for agitator: no
Outlet of tank: 25
Agitator: yes
Power: 1.5 / 4.5

Top: 18 mm
Cylinder: 4,80 mm
Bottom: 4,80 mm
Internal diameter tank: 1.150 mm
Cylinder height: 830 mm

Total height of tank: 2.400 mm

SKU: 446252

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Mer information

Product Description

Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank: pressure
Configuration: single jacketed with heat-exchanger
Max. Service Temperature: 80 °C
Mobile Tank: No, it is not.
Övrig information: chemistry; handhole cover is missing; we can't give any guarantees about the agitator
Agitator: Yes
Overpressure: 0,50 bar
Complete Drainage: Yes
Vacuum Pressure: 0,50 bar
Pressure Vessel: Yes
Heating / Cooling: Yes
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 1000

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: Yes
Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Tank Dimensions
Cylinder Height: 830 mm
Internal diameter: 1.150 mm
Total Height: 2,400 mm

Stirrer
Power (kW): 1.5 / 4.5

Tjocklek på tank
Bottom: 4,80 mm
Cylinder: 4,80 mm
Top: 18 mm

Mer
Heat Exchanger: RVS 304
Isolated: No

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor