

1000 liter tank in 304 stainless steel



96 000 SEK /st exkl moms

Article type: second-hand fermentation tank

Additional information: The tanks have never been used; we can't give any guarantees about the heating/cooling jacket

Volumetric volume (L): 1.000 L

Pressure in tank: ATM - atmosferic

Max. temperature (°C): 20 °C

Min. temperature (°C): -10 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes



Insulation: yes

Mobile tank: no

Top type: large seperat lid

Shape of tank: cylindrical

Bottom type: flat sloping

Total discharge: yes

Fixation points: 4 adjustable feet

Type of HE on the cylinder: dimple-jacket

Water pressure HE: 3 Bar

Type of HE on the bottom: dimple-jacket

Water pressure HE: 3 Bar

Heat exchanger: RVS 304

Outer jacket (ornamental wall): RVS 304

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Tank outlet: inside Ø 32 mm

Outlet type: DIN11851 male

Total outlet valve: no

Agitator: no, optional

Internal diameter tank: 1.510 mm

Distance from outlet to ground: 270 mm

Outer diameter tank: 1.600 mm

Cylinder height: 870 mm

Total height of tank: 1.300 mm

SKU: 451085



Mer information

Product Description

Food-grade: Yes

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank:

Configuration: insulated with heat-exchanger

Max. Service Temperature: 20 °C

Min. Operating Temperature: -10 °C

Mobile Tank: No, it is not.

Övrig information: The tanks have never been used; we can't give any guarantees about the heating/cooling jacket

Agitator: No

Tank Shape: cylindrical

Complete Drainage:

Bottom Type: flat slope

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 1000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Food-grade: Yes

Tank Outlet: inside Ø 32 mm

Technical Drawing Available: No, it is not.

Outlet Type: DIN11851 male

Outlet Valve: No, it is not.



Material Overview

Material: Stainless steel 304

Fixing point(s): RVS 304

Exterior cladding: RVS 304

Tank Dimensions

Cylinder Height: 870 mm

Internal diameter: 1.510 mm

Outlet Height to Ground: 270 mm

Total Height: 1.300 mm

Outer diameter: 1.600 mm

Heat exchangers

Type of Heat Exchanger on Cylinder: dimple jacket

Bottom Heat Exchanger Type: dimple jacket

Water Pressure Heat Exchanger: 3 bars

Water Pressure Heat Exchanger Bottom: 3 bars

Mer

Heat Exchanger: RVS 304

Isolated: Yes