

1000 liter tank in 304 stainless steel



45 000 SEK /st exkl moms

Additional information: Confectionery industry; Frame, Fe (galvanized); double jacket must be filled with heat transfer oil on site for heating; this is heated by a heating coil (capacity: 8 liters; permissible operating pressure: 4 bar; permissible operating temperature: 144° C) presumably made of stainless steel 304; inlets to the heating connections made of Fe; small dents in the insulation jacket; some residues of previous content; traces of usage



Volumetric volume (L): 1.000 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: headside

Outlet of tank: DN50 DIN 11851

Total height of tank: 1.840 mm

Total outer width: 1.220 mm

Total outer length: 1.020 mm

SKU: 481224

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: insulated with heat-exchanger

Mobile Tank: No, it is not.

Övrig information: Confectionery industry; Frame, Fe (galvanized); double jacket must be filled with heat transfer oil on site for heating; this is heated by a heating coil (content: 8 liters; permissible operating

Additional Information2:

Agitator: No

Complete Drainage: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 1000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Total Height: 1.840 mm

Mer

Isolated: Yes