

1000 liter tank in 304 stainless steel



50 000 SEK /st exkl moms

item available on order

Article type: brand new palletized transporttank (not ADR) - type IBC-PL

Additional information: We can take more containers in production for you. These standardised PL IBC containers EW10.008V4N which we offer from our stock are [applicable for food use](#).

The tanks have a butterfly valve instead of a ball valve.

Volumetric volume (L): 1.000 L

Max. density P (kg/m³): 1.900

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: yes

Top type: conical

Shape of tank: cylindrical

Bottom type: flat sloping

Total discharge: yes

Fixation points: 4 stackable frame

Fixation point(s): galvanised steel

Suitable for food industry: yes

Documents included: yes, optional

Technical drawing included: yes

Registration plate on the tank: yes

Flange for agitator: no

CIP spray ball: no

Tank outlet: inside Ø 50 mm

Outlet type: DIN11850

Total outlet valve: yes

Agitator: no, optional

Top: 1,50 mm

Cylinder: 1,50 mm

Bottom: 1,50 mm

Distance from outlet to ground: 250 mm

Outer diameter tank: 1.080 mm

Cylinder height: 1.000 mm

Total height of tank: 1.542 mm

Total outer width: 1.121 mm

Total outer length: 1.121 mm

Empty weight tank: 140

SKU: 435644



Mer information

Product Description

Food-grade: Yes

Material: Stainless steel 304

Model: Vertical

New / Used: Newly manufactured

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Maximum Product Density: 1900

Mobile Tank: Yes

Övrig information: We can take more containers in production for you. These standardized PL IBC containers EW10.008V4N which we offer from our stock are applicable for food use. The tanks have a butterfly valve

Additional Information2: instead of a ball valve.

Agitator: No

Tank Shape: cylindrical

Complete Drainage: Yes

Bottom Type: flat slope

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 1000



Equipment

Agitator flange: No
Nameplate: Yes
Food-grade: Yes
Tank Outlet: inside Ø 50 mm
Technical Drawing Available: Yes
Outlet Type: DIN11850
Outlet Valve: Yes

Material Overview

Material: Stainless steel 304
Fixing point(s): galvanized steel

Tank Dimensions

Cylinder Height: 1.000 mm
Outlet Height to Ground: 250 mm
Total Height: 1.542 mm
Outer diameter: 1,080 mm

Tjocklek på tank

Bottom: 1,50 mm
Cylinder: 1,50 mm
Top: 1,50 mm

Mer

Isolated: No
Weight: 140