

1000 liter tank in 304 stainless steel



85 000 SEK /st exkl moms

Additional information: Food; Heating cable (2 kW power) attached to the cylinder & underbody, protective box with heating device, temperature sensor for measuring the heating cable & product temperature

Volumetric volume (L): 1.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Max. working temperature: 120 °C

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: DN50 DIN 11851

Top: 2 mm

Cylinder: 2 mm

Bottom: 2,50 mm

Internal diameter tank: 1.062 mm

Total height of tank: 1.670 mm

Total outer width: 1.100 mm

Total outer length: 1.200 mm

SKU: 572252

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: isolert med varmeveksler

Mobile Tank: No, it is not.

Övrig information:

Additional Information2: any guarantees about the heating/cooling jacket

Agitator: No

Complete Drainage: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 1000

Equipment

Product Dokument finns: No

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Internal diameter: 1.062 mm

Total Height: 1.670 mm

Tjocklek på tank

Bottom: 2,50 mm

Cylinder: 2 mm

Top: 2 mm



Mer

Isolated: Yes