1000 liter tank in Acid-proof 316

19 000 SEK /st exkl moms

Additional information: Fixing varnish; Frame, Fe (galvanized); diameter of manhole approx. 415 mm (container with screwed screw holder made of Fe (galvanized) around the manhole collar); fastening screws of the manhole cover incomplete; dents in the lower bottom (see photos); traces of usage
Volumetric volume (L): 1,000 L
Pressure in tank: ATM - atmospheric

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Material wet parts: SS AISI 316 (V4A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: headside

Outlet of tank: DN40 DIN 11851
Total height of tank: 1.650 mm
Total outer width: 840 mm
Total outer length: 1,240 mm

SKU: 476215

Mer information

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Product Description

Material: Acid-resistant 316
Model: Vertical
New / Used: Used
Operating Pressure in Tank: ATM – atmospheric
Configuration: single-skin
Mobile Tank: No, it is not.
Övrig information: Fixing varnish; Frame, Fe (galvanized); diameter of manhole approx. 415 mm (container with screwed screw holder made of Fe (galvanized) around the manhole collar); fastening screws of the manhole
Additional Information2: cover incomplete; dents in the lower bottom (see photos); traces of usage
Agitator: No
Complete Drainage: Yes
Heating / Cooling: No
Contact Surface: SS AISI 316 (V4A)
Volume in liters: 1000

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: No, it is not.
Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Total Height: 1.650 mm

Mer

Isolated: No

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor