

1000 liter tank in Acid-proof 316



265 000 SEK /st exkl moms

Additional information: Pharmacy; 3 foot extensions with load cells are included in delivery; slight metallic discoloration inside the vessel

Volumetric volume (L): 1.000 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 3 Bar



Min. pressure (Bar): 1 Bar

Max. temperature (°C): 150 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 82 L

Max Overpressure: 3 Bar

Max onderdruk: 1 Bar

Max. working temperature: 150 °C

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: DN25 DIN 11851

Agitator: yes

Power: 0,37

Top: 7,60 mm

Cylinder: 6,70 mm

Bottom: 5,70 mm

Internal diameter tank: 990 mm

Outer diameter tank: 1.150 mm

Cylinder height: 950 mm

Total height of tank: 2.450 mm

Empty weight tank: 1.500

SKU: 482619



Mer information

Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: insulated with heat-exchanger

Max. Service Temperature: 150 °C

Mobile Tank: No, it is not.

Övrig information: Pharmacy; 3 foot extensions with load cells are included in delivery; slight metallic discoloration inside the vessel; we can't give any guarantees about the heating/cooling jacket; we can't give

Additional Information2: any guarantees about the agitator

Agitator: Yes

Overpressure: 3 bars

Complete Drainage: Yes

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 1000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.



Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 950 mm

Internal diameter: 990 mm

Total Height: 2,450 mm

Outer diameter: 1.150 mm

Stirrer

Power (kW): 0,37

Tjocklek på tank

Bottom: 5,70 mm

Cylinder: 6.70 mm

Top: 7,60 mm

Mer

Isolated: Yes

Weight: 1.500