

1000 liter tank in Acid-proof 316



58 000 SEK /st exkl moms

Additional information: transport tank for viscous gels; Vessels are equipped with a pump at the bottom (see photos)

Volumetric volume (L): 1.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316 (V4A)



Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: headside

Outlet of tank: 72

Top: 2,90 mm

Cylinder: 3,10 mm

Bottom: 3 mm

Internal diameter tank: 1.320 mm

Cylinder height: 550 mm

Total height of tank: 2.400 mm

Total outer width: 1.350 mm

Total outer length: 2.210 mm

SKU: 442172

Mer information



Product Description

Material: Acid-resistant 316

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: transport tank for viscous gels; Tanks are equipped with a pump (see pictures)

Agitator: No

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 1000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 550 mm

Internal diameter: 1,320 mm

Total Height: 2,400 mm

Tjocklek på tank

Bottom: 3 mm

Cylinder: 3,10 mm

Top: 2,90 mm

Mer

Isolated: No