

1000 liter tank in Acid-proof 316



29 000 SEK /st exkl moms

Article type: second-hand transport tank

Volumetric volume (L): 1.000 L

Pressure in tank: pressure

Max. pressure (Bar): 0,15 Bar

Material wet parts: SS AISI 316L (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no



Top type: flat

Shape of tank: square

Bottom type: flat sloping

Total discharge: yes

Fixation points: 4 attachment points

Valve: RVS 316L

Fixation point(s): galvanised steel

Suitable for food industry: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: at the top

Height manhole 1 (mm): 360 mm

Tank outlet: inside Ø 51 mm

Outlet type: SMS

Total outlet valve: yes

Agitator: no, optional

Cylinder height: 610 mm

Total height of tank: 1.300 mm

Total outer width: 1.150 mm

Total outer length: 1.150 mm

Empty weight tank: 180

SKU: 424586



Mer information

Product Description

Material: Acid-resistant 316
Model: Vertical
New / Used: Used
Operating Pressure in Tank: pressure
Configuration: single-skin
Mobile Tank: No, it is not.
Agitator: No
Overpressure: 0,15 bar
Tank Shape: square
Complete Drainage: Yes
Bottom Type: flat slope
Pressure Vessel: Yes
Heating / Cooling: No
Contact Surface: SS AISI 316L (V4A)
Volume in liters: 1000

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: No, it is not.
Tank Outlet: inside Ø 51 mm
Technical Drawing Available: No, it is not.
Outlet Type: SMS TEXT MESSAGES
Outlet Valve: Yes

Material Overview

Material: Acid-resistant 316
Fixing point(s): galvanized steel

Tank Dimensions

Cylinder Height: 610 mm
Total Height: 1.300 mm



Mer

Isolated: No

Weight: 180
