# 1000 liter tank in Acid-proof 316

135 000 SEK /st exkl moms

**item available on order**

**PROCESSÖVERSKOTT AB**

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

**Article type**: brand new transport tank - type VC-SCO
**Additional information**: example picture
**Volumetric volume (L)**: 1.000 L
**Max. density P (kg/m³)**: 1.200
**Ra inner weld**: 0,80

**Pressure in tank**: ATM - atmosferic
**Max. temperature (°C)**: 80 °C
**Min. temperature (°C)**: -10 °C
**Material wet parts**: SS AISI 316 (V4A)
**Model**: vertical

**Configuration**: single-skin
**Heat exchanger**: no
**Insulation**: no
**Mobile tank**: yes
**Top type**: large seperat lid

**Shape of tank**: cylindrical
**Bottom type**: conical 15 °
**Total discharge**: yes
**Fixation points**: 4 casters
**Valve**: RVS 316L

**Fixation point(s)**: RVS 304L
**Suitable for food industry**: yes
**Documents included**: yes, optional
**Technical drawing included**: yes
**Registration plate on the tank**: yes

**Flange for agitator**: no
**CIP spray ball**: no
**Tank outlet**: inside Ø 40 mm
**Outlet type**: DIN11851
**Total outlet valve**: no, optional

**Top**: 2 mm
**Cylinder**: 3 mm
**Bottom**: 3 mm
**Distance from outlet to ground**: 250 mm

**PROCESSÖVERSKOTT AB**

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

**Outer diameter tank**: 1.113 mm

**Cylinder height**: 1.000 mm
**Total height of tank**: 1.550 mm
**Empty weight tank**: 172

**SKU:** 377024

## Mer information

**Product Description**
Food-grade: Yes
Material: Acid-resistant 316
Model: Vertical
New / Used: Newly manufactured
Operating Pressure in Tank: ATM – atmospheric
Configuration: single-skin
Max. Service Temperature: 80 °C
Maximum Product Density: 1200
Min. Operating Temperature: -10 °C
Mobile Tank: Yes
Övrig information: example picture
Agitator: No
Ra Internal Weld: 0,80
Tank Shape: cylindrical
Complete Drainage: Yes
Bottom Type: conical 15 °
Heating / Cooling: No
Contact Surface: SS AISI 316 (V4A)
Volume in liters: 1000

**PROCESSÖVERSKOTT AB**

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

**Equipment**

Agitator flange: No
Nameplate: Yes
Food-grade: Yes
Tank Outlet: inside Ø 40 mm
Technical Drawing Available: Yes
Outlet Type: DIN11851

**Material Overview**

Material: Acid-resistant 316
Fixing point(s): RVS 304L

**Tank Dimensions**

Cylinder Height: 1.000 mm
Outlet Height to Ground: 250 mm
Total Height: 1.550 mm
Outer diameter: 1.113 mm

**Tjocklek på tank**

Bottom: 3 mm
Cylinder: 3 mm
Top: 2 mm

**Mer**

Isolated: No
Weight: 172



Rodervägen 57
891 78 Bonässund
info@processoverskott.se