

10000 liter tank in Acid-proof 316



208 000 SEK /st exkl moms

Additional information: Slurry; Type plate no longer available; Manufacturer's declaration available; Diameter manhole cylinder 600 mm; 1 tank with a smaller dent in the lower bottom (see photos); 2 more identical containers are available on request

Volumetric volume (L): 10.000 L

Pressure in tank: ATM - atmospheric



Max. temperature (°C): 80 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: yes

Volume: 20 L

Max Overpressure: 3 Bar

Max. working temperature: 80 °C

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: flange DN80

Agitator: yes

Power: 3

Cylinder: 4 mm

Bottom: 4 mm

Internal diameter tank: 2.500 mm

Cylinder height: 2.000 mm

Total height of tank: 3.800 mm

Empty weight tank: 1.100

SKU: 429380



Mer information

Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single jacketed with heat-exchanger

Max. Service Temperature: 80 °C

Mobile Tank: No, it is not.

Övrig information: Slurry; Type plate no longer available; Manufacturer's declaration available;

Diameter manhole cylinder 600 mm; 1 tank with a smaller dent in the lower bottom (see photos);
2 more identical

Additional Information2: containers are available on request; we can't give any guarantees
about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 10000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 2,000 mm

Internal diameter: 2.500 mm

Total Height: 3,800 mm



Stirrer

Power (kW): 3

Tjocklek på tank

Bottom: 4 mm

Cylinder: 4 mm

Mer

Isolated: No

Weight: 1.100