

10000 liter tank in Acid-proof 316



203 000 SEK /st exkl moms

Additional information: 1 rectangular opening approx. 400 x 720 mm in the folding segment

Volumetric volume (L): 10.000 L

Pressure in tank: ATM - atmospheric

Max. temperature (°C): 98 °C



Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 120 L

Max Overpressure: 3 Bar

Max. working temperature: 120 °C

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: DN65 DIN 11851

Agitator: yes

Internal diameter tank: 2.500 mm

Outer diameter tank: 2.640 mm

Cylinder height: 1.990 mm

Total height of tank: 4.350 mm

SKU: 405845

Mer information



Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: insulated with heat-exchanger

Max. Service Temperature: 98 °C

Mobile Tank: No, it is not.

Övrig information: 1 rectangular opening approx. 400 x 720 mm in the folding segment; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 10000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 1,990 mm

Internal diameter: 2.500 mm

Total Height: 4.350 mm

Outer diameter: 2,640 mm

Mer

Isolated: Yes