10000 liter tank in Acid-proof 316

174 000 SEK /st exkl moms

Additional information: Slurry; Type plate no longer available; Diameter manhole cylinder 600 mm; 2 more identical containers are available on request; some residues of previous content
Volumetric volume (L): 10.000 L
Pressure in tank: ATM - atmosferic
Max. temperature (°C): 80 °C

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Material wet parts: SS AISI 316 (V4A)

Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no

Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no

Outlet of tank: flange DN80
Agitator: yes
Power: 3
Cylinder: 3 mm
Bottom: 4 mm

Internal diameter tank: 2.500 mm
Cylinder height: 2.000 mm
Total height of tank: 3.800 mm
Empty weight tank: 1.500

SKU: 438830

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Product Description

Material: Acid-resistant 316
Model: Vertical
New / Used: Used
Operating Pressure in Tank: ATM – atmospheric
Configuration: single-skin
Max. Service Temperature: 80 °C
Mobile Tank: No, it is not.
Övrig information: Slurry; Type plate no longer available; Diameter manhole cylinder 600 mm; 2 more identical containers are available on request; some residues of previous content; we can't give any guarantees about
Additional Information2: the agitator
Agitator: Yes
Complete Drainage: Yes
Heating / Cooling: No
Contact Surface: SS AISI 316 (V4A)
Volume in liters: 10000

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: No, it is not.
Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 2,000 mm
Internal diameter: 2.500 mm
Total Height: 3,800 mm

Stirrer

Power (kW): 3

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Tjocklek på tank
Bottom: 4 mm
Cylinder: 3 mm

Mer
Isolated: No
Weight: 1.500

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor