# 10000 liter tank in Acid-proof 316

174 000 SEK /st exkl moms

**Additional information**: Slurry; Nameplate no longer present; manhole cylinder diameter 600 mm; there is a small dent on the side of the vessel; some residues of previous content
**Volumetric volume (L)**: 10.000 L
**Pressure in tank**: ATM - atmosferic
**Max. temperature (°C)**: 80 °C

**PROCESSÖVERSKOTT AB**

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

**Material wet parts**: SS AISI 316 (V4A)

**Model**: vertical
**Configuration**: single-skin
**Heat exchanger**: no
**Insulation**: no
**Mobile tank**: no

**Total discharge**: yes
**Documents included**: no
**Technical drawing included**: no
**Registration plate on the tank**: no
**Flange for agitator**: no

**Outlet of tank**: flange DN80
**Agitator**: yes
**Power**: 3
**Cylinder**: 3 mm
**Bottom**: 4 mm

**Internal diameter tank**: 2.500 mm
**Cylinder height**: 2.000 mm
**Total height of tank**: 3.800 mm

**SKU:** 490446

## Mer information



Rodervägen 57
891 78 Bonässund
info@processoverskott.se

## Product Description

Material: Acid-resistant 316
Model: Vertical
New / Used: Used
Operating Pressure in Tank: ATM – atmospheric
Configuration: single-skin
Max. Service Temperature: 80 °C
Mobile Tank: No, it is not.
Övrig information: Slurry; Type plate no longer available; Diameter manhole cylinder 600 mm; 2 more identical containers are available on request; some residues of previous content; we can't give any guarantees about
Additional Information2: the agitator
Agitator: Yes
Complete Drainage: Yes
Heating / Cooling: No
Contact Surface: SS AISI 316 (V4A)
Volume in liters: 10000

## Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: No, it is not.
Technical Drawing Available: No, it is not.

## Material Overview

Material: Acid-resistant 316

## Tank Dimensions

Cylinder Height: 2,000 mm
Internal diameter: 2.500 mm
Total Height: 3,800 mm

## Stirrer

Power (kW): 3



Rodervägen 57
891 78 Bonässund
info@processoverskott.se

**Tjocklek på tank**
Bottom: 4 mm
Cylinder: 3 mm

**Mer**
Isolated: No

**PROCESSÖVERSKOTT AB**

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor