


10000 liter tank in Acid-proof 316



200 000 SEK /st exkl moms

Volumetric volume (L): 10.000 L

Pressure in tank: pressure

Max. temperature (°C): 80 °C

Material wet parts: SS AISI 316 (V4A)



Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Volume: 20 L

Max Overpressure: 3 Bar

Max. working temperature: 80 °C

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: flange DN80

Agitator: yes

Power: 3.0 / 3.45

Top: 4 mm

Cylinder: 3 mm

Bottom: 4 mm

Outer diameter tank: 2.500 mm

Cylinder height: 2.000 mm

Total height of tank: 4.000 mm

Empty weight tank: 1.800

SKU: 568166



Mer information

Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single jacketed with heat-exchanger

Max. Service Temperature: 80 °C

Mobile Tank: No, it is not.

Övrig information: Chemistry; we can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 10000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 2,000 mm

Total Height: 4,000 mm

Outer diameter: 2.500 mm

Stirrer

Power (kW): 3.0 / 3.45



Tjocklek på tank

Bottom: 4 mm

Cylinder: 3 mm

Top: 4 mm

Mer

Isolated: No

Weight: 1.800