10000 liters tank in Stainless 304

137 000 SEK /st exkl moms

Additional information: food industry
Volumetric volume (L): 10.000 L
Pressure in tank: pressure
Max. pressure (Bar): 0,50 Bar

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Max. temperature (°C): 120 °C

Material wet parts: SS AISI 304 (V2A)
Model: horizontal
Configuration: single-skin
Heat exchanger: no
Insulation: no

Mobile tank: no
Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes

Flange for agitator: no
Outlet of tank: DN50 DIN 11851
Cylinder: 3 mm
Bottom: 4 mm
Internal diameter tank: 1.950 mm

Total height of tank: 2.350 mm
Total outer length: 3.650 mm

SKU: 478941

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Product Description

Material: Stainless steel 304
Model: Horizontal
New / Used: Used
Operating Pressure in Tank: pressure
Configuration: single-skin
Max. Service Temperature: 120 °C
Mobile Tank: No, it is not.
Övrig information: Food industry
Agitator: No
Overpressure: 0,50 bar
Complete Drainage: Yes
Pressure Vessel: Yes
Heating / Cooling: No
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 10000

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: Yes
Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Internal diameter: 1.950 mm
Total Height: 2.350 mm

Tjocklek på tank

Bottom: 4 mm
Cylinder: 3 mm

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Mer
Isolated: No

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor