

10000 liters tank in Stainless 304



101 000 SEK /st exkl moms

Additional information: solvent tank; Safety double jacket made of Fe (RSt-2; 4 mm)

Volumetric volume (L): 10.000 L

Pressure in tank: pressure

Max. pressure (Bar): 0,50 Bar



Min. pressure (Bar): 0,50 Bar

Max. temperature (°C): 50 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: non-existent

Cylinder: 4 mm

Bottom: 4 mm

Internal diameter tank: 2.000 mm

Outer diameter tank: 2.025 mm

Cylinder height: 3.000 mm

Total height of tank: 4.200 mm

SKU: 396089

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure

Configuration: single-skin

Max. Service Temperature: 50 °C

Mobile Tank: No, it is not.

Övrig information: solvent tank; double safety jacket made of Fe (RSt-2; 4 mm)

Agitator: No

Overpressure: 0,50 bar

Complete Drainage: No, it is not.

Vacuum Pressure: 0,50 bar

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 10000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 3,000 mm

Internal diameter: 2,000 mm

Total Height: 4.200 mm

Outer diameter: 2.025 mm



Tjocklek på tank

Bottom: 4 mm

Cylinder: 4 mm

Mer

Isolated: No