

10000 liters tank in Stainless 304



76 000 SEK /st exkl moms

Additional information: bitumen; Sheet metal cuts in the upper bottom (see photos); 2 electric plug-in heaters each (no guarantee of functionality); some residues of previous content; bump at the insulation jacket

Volumetric volume (L): 10.000 L

Pressure in tank: ATM - atmospheric



Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: 60

Agitator: yes

Number of revolutions: 11 / 17

Power: 2 / 3

Internal diameter tank: 2.550 mm

Outer diameter tank: 2.680 mm

Cylinder height: 2.000 mm

Total height of tank: 3.850 mm

SKU: 390044

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: insulated with heat-exchanger

Mobile Tank: No, it is not.

Övrig information: bitumen; metal sheet cut outs in the upper bottom (see pictures); 2 electr. plug-in heaters (without guarantee of function); some residues of previous content; bump at the insulation jacket; we

Additional Information2: can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 10000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 2,000 mm

Internal diameter: 2,550 mm

Total Height: 3.850 mm

Outer diameter: 2,680 mm



Stirrer

Power (kW): 2 / 3

Speed (RPM): 11 / 17

Mer

Isolated: Yes