10000 liters tank in Stainless 304

93 000 SEK /st exkl moms

Additional information: Milch; small cracks in the insulation jacket; some residues of previous content
Volumetric volume (L): 10.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: cylinder

Outlet of tank: pipe end Ø appr. 50mm
Agitator: yes
Internal diameter tank: 1.990 mm
Outer diameter tank: 2.100 mm
Cylinder height: 3.240 mm

Total height of tank: 4.650 mm

SKU: 391796

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Product Description

Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank: ATM – atmospheric
Configuration: insulated
Mobile Tank: No, it is not.
Övrig information: Milch; small cracks in the insulation jacket; some residues of previous content; we can't give any guarantees about the agitator
Agitator: Yes
Complete Drainage: Yes
Heating / Cooling: No
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 10000

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: No, it is not.
Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 3.240 mm
Internal diameter: 1,990 mm
Total Height: 4.650 mm
Outer diameter: 2.100 mm

Mer

Isolated: Yes

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor