

10000 liters tank in Stainless 304



74 000 SEK /st exkl moms

Additional information: Paint industry; 1 pipe inside the tank; stronger adhesions inside

Volumetric volume (L): 10.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: flange DN80

Agitator: yes

Number of revolutions: 201 / 402

Power: 9.5 / 11

Internal diameter tank: 1.990 mm

Cylinder height: 3.000 mm

Total height of tank: 5.500 mm

SKU: 403859

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: Paint industry; 1 pipe inside the tank; stronger adhesions inside; we can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 10000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 3,000 mm

Internal diameter: 1,990 mm

Total Height: 5.500 mm

Stirrer

Power (kW): 9.5 / 11

Speed (RPM): 201 / 402



Mer

Isolated: No