

10000 liters tank in Stainless 304



186 000 SEK /st exkl moms

Additional information: Ice water; Manhole approx. 410 x 510 mm; heating connections cut off

Volumetric volume (L): 10.000 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 205 L

Max Overpressure: 3 Bar

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: DN50 DIN 11851

Agitator: yes

Cylinder: 4 mm

Bottom: 4 mm

Internal diameter tank: 1.660 mm

Outer diameter tank: 1.790 mm

Cylinder height: 4.500 mm

Total height of tank: 6.217 mm

SKU: 701900

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank:

Configuration: isolert med varmeveksler

Mobile Tank: No, it is not.

Övrig information: Ice water; Manhole approx. 410 x 510 mm; heating connections cut off; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage:

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 10000

Equipment

Product Dokument finns: No

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 4.500 mm

Internal diameter: 1.660 mm

Total Height: 6.217 mm

Outer diameter: 1.790 mm

Tjocklek på tank

Bottom: 4 mm

Cylinder: 4 mm



Mer

Isolated: Yes