

10000 liters tank in Stainless 304



151 000 SEK /st exkl moms

Additional information: Minor dents in the upper bottom and in the insulating jacket; pipe end cut flush

Volumetric volume (L): 10.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: 80

Agitator: yes

Number of revolutions: 20 / 40

Power: 1.5 / 2.2

Internal diameter tank: 2.090 mm

Outer diameter tank: 2.240 mm

Cylinder height: 2.900 mm

Total height of tank: 5.250 mm

SKU: 487223

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: insulated

Mobile Tank: No, it is not.

Övrig information: Dairy; Smaller dents in the upper bottom and insulation jacket; pipe end cut flush; we can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 10000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 2,900 mm

Internal diameter: 2,090 mm

Total Height: 5.250 mm

Outer diameter: 2,240 mm

Stirrer

Power (kW): 1.5 / 2.2

Speed (RPM): 20 / 40



Mer

Isolated: Yes