

100000 liters tank in Acid-proof 316



609 000 SEK /st exkl moms

Additional information: Manhole diameter: 500 mm; some residues of previous content

Volumetric volume (L): 100.000 L

Pressure in tank: ATM - atmospheric

Max. temperature (°C): 80 °C



Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: available

Agitator: yes

Internal diameter tank: 3.750 mm

Outer diameter tank: 3.900 mm

Cylinder height: 9.000 mm

Total height of tank: 13.000 mm

Empty weight tank: 9.500

SKU: 568799

Mer information



Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: insulated

Max. Service Temperature: 80 °C

Mobile Tank: No, it is not.

Övrig information: Manhole diameter: 500 mm; some residues of previous content; we can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 100000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 9,000 mm

Internal diameter: 3.750 mm

Total Height: 13,000 mm

Outer diameter: 3,900 mm



Mer

Isolated: Yes

Weight: 9.500
