

1011 liter tank in Acid-proof 316



23 000 SEK /st exkl moms

Additional information: Putty; Stainless steel 304 frame; manhole diameter approx. 410 mm; 1 filling pipe inside the container; some residues of previous content; traces of usage

Volumetric volume (L): 1.011 L

Pressure in tank: pressure

Max. pressure (Bar): 0,50 Bar



Min. pressure (Bar): 0,50 Bar

Max. temperature (°C): 50 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: DN25 DIN 11851

Internal diameter tank: 1.090 mm

Cylinder height: 770 mm

Total height of tank: 1.920 mm

Total outer width: 1.210 mm

Total outer length: 1.210 mm

SKU: 427661

Mer information



Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure

Configuration: single-skin

Max. Service Temperature: 50 °C

Mobile Tank: No, it is not.

Övrig information: Putty; Frame, Aisi 304; Manhole diameter approx. 410 mm; 1 filling tube inside the container; some residues of previous content; traces of usage

Agitator: No

Overpressure: 0,50 bar

Complete Drainage: Yes

Vacuum Pressure: 0,50 bar

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 1011

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 770 mm

Internal diameter: 1.090 mm

Total Height: 1,920 mm



Mer

Isolated: No