

10250 liters tank in Stainless 304



95 000 SEK /st exkl moms

Article type: second-hand storage tank

Additional information: Coil in the tank DN50 - 6 turns

Volumetric volume (L): 10.250 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Top type: conical

Shape of tank: cylindrical

Bottom type: conical

Total discharge: yes

Fixation points: 4 adjustable feet

Type HE: spiral pipes inside the tank

Heat exchanger in tank: yes

Number of windings: 6

Pipe diameter: 50 mm

Water pressure HE: 3 Bar

Manway(s): RVS 304

Fixation point(s): RVS 304

Suitable for food industry: no

Documents included: no

Technical drawing included: no



Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: at the top

Height manhole 1 (mm): 500 mm

Hinged lid: yes

Tank outlet: inside Ø 65 mm

Outlet type: DIN2576

Total outlet valve: no

Top: 3 mm

Cylinder: 2,50 mm

Bottom: 2,50 mm

Distance from outlet to ground: 400 mm

Outer diameter tank: 2.400 mm

Cylinder height: 2.250 mm

Total height of tank: 3.750 mm

Empty weight tank: 900

SKU: 384386

Mer information



Product Description

Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank: ATM – atmospheric
Configuration: single jacketed with heat-exchanger
Mobile Tank: No, it is not.
Övrig information: Coil in the tank DN50 – 6 turns
Agitator: No
Tank Shape: cylindrical
Complete Drainage: Yes
Bottom Type: conical
Heating / Cooling: Yes
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 10250

Equipment

Product Dokument finns: No
Agitator flange: No
Nameplate: No, it is not.
Tank Outlet: inside Ø 65 mm
Technical Drawing Available: No, it is not.
Outlet Type: DIN2576
Outlet Valve: No, it is not.

Material Overview

Material: Stainless steel 304
Fixing point(s): RVS 304

Tank Dimensions

Cylinder Height: 2,250 mm
Outlet Height to Ground: 400 mm
Total Height: 3.750 mm
Outer diameter: 2,400 mm



Tjocklek på tank

Bottom: 2,50 mm

Cylinder: 2,50 mm

Top: 3 mm

Mer

Isolated: No

Weight: 900