

1050 liter tank in Acid-proof 316



38 000 SEK /st exkl moms

Additional information: 2 loose bearing shells, Aisi 316; 1 hand hole DN 350 on the tank; some residues of previous content

Volumetric volume (L): 1.050 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 316 (V4A)



Model: horizontal

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: flange DN50

Cylinder: 5.10 mm

Bottom: 4.90 mm

Internal diameter tank: 890 mm

Total height of tank: 1.450 mm

Total outer length: 2,100 mm

Empty weight tank: 650

SKU: 483308

Mer information



Product Description

Material: Acid-resistant 316

Model: Horizontal

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: 2 loose bearing shells, Aisi 316; 1 hand hole DN 350 on the tank; some residues of previous content

Agitator: No

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 1050

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Internal diameter: 890 mm

Total Height: 1.450 mm

Tjocklek på tank

Bottom: 4.90 mm

Cylinder: 5,10 mm



Mer

Isolated: No

Weight: 650
