

105000 liters tank in Acid-proof 316



490 000 SEK /st exkl moms

item available on order

Article type: brand new storage tank - type TZN-SE

Additional information: Pictures of an identical tank with a smaller capacity, pls look at the technical drawing

Volumetric volume (L): 105.000 L

Max. density P (kg/m³): 1.250

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no



Insulation: no

Mobile tank: no

Top type: conical 14 °

Shape of tank: cylindrical

Bottom type: flat °

Total discharge: yes

Outer jacket (ornamental wall): RVS 316

Gasket manway(s): EPDM

Valve: RVS 316L

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: yes

Registration plate on the tank: yes

Inspection of: No Documentation

Flange for agitator: no

Number of manways: 1

Position of manway: cylinder

CIP spray ball: no

Tank outlet: inside Ø 80 mm

Outlet type: DIN11851

Total outlet valve: no, optional

Agitator: no

Top: 2 mm

Cylinder: 3 mm

Bottom: 3 mm

Distance from outlet to ground: 150 mm

Outer diameter tank: 3.342 mm

Cylinder height: 12.000 mm

Total height of tank: 12.500 mm

Empty weight tank: 3.000

SKU: 376073



Mer information

Product Description

Food-grade: Yes

Material: Acid-resistant 316

Model: Vertical

New / Used: Newly manufactured

Operating Pressure in Tank:

Configuration: single-skin

Maximum Product Density: 1250

Mobile Tank: No, it is not.

Övrig information: Pictures of an identical tank with a smaller capacity, pls look at the technical drawing

Agitator: No

Tank Shape: cylindrical

Complete Drainage:

Bottom Type: flat °

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 105000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Food-grade: Yes

Inspected by: No Documentation

Tank Outlet: inside Ø 80 mm

Technical Drawing Available: Yes

Outlet Type: DIN11851



Material Overview

Material: Acid-resistant 316

Fixing point(s): RVS 304

Exterior cladding: RVS 316

Tank Dimensions

Cylinder Height: 12.000 mm

Outlet Height to Ground: 150 mm

Total Height: 12.500 mm

Outer diameter: 3.342 mm

Tjocklek på tank

Bottom: 3 mm

Cylinder: 3 mm

Top: 2 mm

Mer

Isolated: No

Weight: 3.000