


10640 liter tank in Acid-proof 316



286 000 SEK /st exkl moms

Additional information: Available from February 2025

Volumetric volume (L): 10.640 L

Pressure in tank: pressure

Material wet parts: SS AISI 316 (V4A)



Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Max Overpressure: 3 Bar

Max. working temperature: 120 °C

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: yes

Position of manway: headside

Outlet of tank: DN80 DIN 11851

Cylinder: 3 mm

Internal diameter tank: 2.250 mm

Outer diameter tank: 2.450 mm

Cylinder height: 2.500 mm

Total height of tank: 3.600 mm

SKU: 478533

Mer information



Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: insulated with heat-exchanger

Mobile Tank: No, it is not.

Övrig information: Available from February 2025; we can't give any guarantees about the heating/cooling jacket

Agitator: No

Complete Drainage: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 10640

Equipment

Product Dokument finns: No, it is not.

Agitator flange: Yes

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 2.500 mm

Internal diameter: 2,250 mm

Total Height: 3.600 mm

Outer diameter: 2,450 mm

Tjocklek på tank

Cylinder: 3 mm

Mer

Isolated: Yes