

10875 liters tank in Stainless 304



220 000 SEK /st exkl moms

Additional information: Adhesive industry; Support ring made of Fe; some of the flanges of the upper bottom were welded to the inside with a stainless steel sheet by the previous operator (and an opening was cut in some of these sheets; see photos); manhole diameter 480 mm; some residues of previous content; manhole cover is missing

Volumetric volume (L): 10.875 L



Pressure in tank: pressure and vacuum

Max. pressure (Bar): 6 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 200 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Volume: 330 L

Max Overpressure: 20 Bar

Max onderdruk: 1 Bar

Max. working temperature: 220 °C

Type HE on the bottom: half pipe welded onto the outside of the innertank

Type HE on the cylinder: half pipe welded onto the outside of the innertank

Heat exchanger: RVS 304

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: available

Agitator: yes

Number of revolutions: 78

Power: 22

Top: 14 mm

Cylinder: 8,70 mm

Bottom: 11,40 mm

Internal diameter tank: 2.170 mm

Cylinder height: 2.200 mm

Total height of tank: 5.050 mm

SKU: 398219

Mer information

Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: single jacketed with heat-exchanger

Max. Service Temperature: 200 °C

Mobile Tank: No, it is not.

Övrig information: Adhesive industry; Support ring made of Fe; some of the flanges of the upper bottom were welded to the inside by the previous operator with a stainless steel sheet (and an opening was sometimes cut

Additional Information2: into these sheets; see photos); diameter manhole 480 mm; some residues of previous content; manhole cover is missing; we can't give any guarantees about the agitator

Agitator: Yes

Overpressure: 6 bars

Complete Drainage: Yes

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 10875



Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: Yes
Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 2,200 mm
Internal diameter: 2.170 mm
Total Height: 5,050 mm

Stirrer

Power (kW): 22
Speed (RPM): 78

Tjocklek på tank

Bottom: 11,40 mm
Cylinder: 8,70 mm
Top: 14mm

Mer

Heat Exchanger: RVS 304
Isolated: No