1100 liter tank in Acid-proof 316

55 000 SEK /st exkl moms

Additional information: Chemistry; some residues of previous content; manhole cover plated
Volumetric volume (L): 1.100 L
Pressure in tank: pressure and vacuum
Max. pressure (Bar): 6 Bar

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 200 °C
Material wet parts: SS AISI 316 (V4A)
Model: vertical
Configuration: single-skin
Heat exchanger: no

Insulation: no
Mobile tank: no
Total discharge: yes
Max Overpressure: 6 Bar
Max onderdruk: 1 Bar

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: in the bottom

Outlet of tank: flange DN50
Cylinder: 4 mm
Bottom: 6 mm
Internal diameter tank: 1.200 mm
Cylinder height: 630 mm

Total height of tank: 2.250 mm
Empty weight tank: 530

SKU: 397868

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Mer information

Product Description

Material: Acid-resistant 316
Model: Vertical
New / Used: Used
Operating Pressure in Tank: pressure and vacuum
Configuration: single-skin
Max. Service Temperature: 200 °C
Mobile Tank: No, it is not.
Övrig information: chemistry; some residues of previous content;manhole cover plated
Agitator: No
Overpressure: 6 bars
Complete Drainage: Yes
Vacuum Pressure: 1 bar
Pressure Vessel: Yes
Heating / Cooling: No
Contact Surface: SS AISI 316 (V4A)
Volume in liters: 1100

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: Yes
Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 630 mm
Internal diameter: 1.200 mm
Total Height: 2.250 mm

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Tjocklek på tank
Bottom: 6 mm
Cylinder: 4 mm

Mer
Isolated: No
Weight: 530

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor