

1100 liter tank in Acid-proof 316



164 000 SEK /st exkl moms

Additional information: water; some residues of previous content

Volumetric volume (L): 1.100 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 1,99 Bar



Min. pressure (Bar): 1 Bar

Max. temperature (°C): 130 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 122 L

Max Overpressure: 3 Bar

Max. working temperature: 130 °C

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: yes

Position of manway: headside

Outlet of tank: available

Top: 4,50 mm

Cylinder: 8 mm

Bottom: 4,80 mm

Internal diameter tank: 1.040 mm

Outer diameter tank: 1.200 mm

Cylinder height: 990 mm

Total height of tank: 2.200 mm

SKU: 568625



Mer information

Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: insulated with heat-exchanger

Max. Service Temperature: 130 °C

Mobile Tank: No, it is not.

Övrig information: Rainwater; some residues of previous content; we can't give any guarantees about the heating/cooling jacket

Agitator: No

Overpressure: 1.99 bar

Complete Drainage: Yes

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 1100

Equipment

Product Dokument finns: No, it is not.

Agitator flange: Yes

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316



Tank Dimensions

Cylinder Height: 990 mm
Internal diameter: 1,040 mm
Total Height: 2,200 mm
Outer diameter: 1.200 mm

Tjocklek på tank

Bottom: 4,80 mm
Cylinder: 8 mm
Top: 4,50 mm

Mer

Isolated: Yes