

1 100 liter tank in Stainless 304



193 000 SEK /st exkl moms

Additional information: Designed as a fermentation tank for beer; Measuring container - slight signs of use; yeast plug fitted inside

Volumetric volume (L): 1.100 L

Pressure in tank: pressure

Max. pressure (Bar): 3 Bar



Min. pressure (Bar): 3 Bar

Max. temperature (°C): 50 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 10 L

Max Overpressure: 6 Bar

Max. working temperature: 50 °C

Heat exchanger: RVS 304

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: DN40 DIN 11851

Internal diameter tank: 1.000 mm

Outer diameter tank: 1.200 mm

Cylinder height: 1.000 mm

Total height of tank: 2.580 mm

SKU: 393119



Mer information

Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure

Configuration: insulated with heat-exchanger

Max. Service Temperature: 50 °C

Mobile Tank: No, it is not.

Övrig information: Designed as a fermentation tank for beer; fair tank – slight signs of wear; yeast plug mounted inside; we can't give any guarantees about the heating/cooling jacket

Agitator: No

Overpressure: 3 bars

Complete Drainage: Yes

Vacuum Pressure: 3 bars

Pressure Vessel: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 1100

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 1.000 mm

Internal diameter: 1.000 mm

Total Height: 2.580 mm

Outer diameter: 1.200 mm



Mer

Heat Exchanger: RVS 304

Isolated: Yes