


11000 liter tank in Acid-proof 316



101 000 SEK /st exkl moms

Additional information: Solvents; Manufactured in accordance with DIN6618; test report for decommissioning in accordance with VAWs available; piping inside the vessels; stand frame made of 1.4301 (stainless steel 304); manhole cover made of 1.4541 (stainless steel 304); outlet with screwed-on reducer

Volumetric volume (L): 11.100 L

Pressure in tank: pressure and vacuum



Max. pressure (Bar): 0,30 Bar

Min. pressure (Bar): 0,10 Bar

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: flange DN50

Top: 2,50 mm

Cylinder: 3 mm

Bottom: 2,80 mm

Internal diameter tank: 2.000 mm

Cylinder height: 3.000 mm

Total height of tank: 4.750 mm

SKU: 413438

Mer information



Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: Solvents; Built according to DIN6618; pipelines inside the tanks; stand frame, 1.4301 (Aisi 304); manhole cover, 1.4541 (Aisi 304); Outlet with screwed reduction

Additional Information2: reduce

Agitator: No

Overpressure: 0,30 bar

Complete Drainage: Yes

Vacuum Pressure: 0,10 bar

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 11100

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 3,000 mm

Internal diameter: 1.980 mm

Total Height: 4.750 mm

**Tjocklek på tank**

Bottom: 3.90 mm

Cylinder: 3 mm

Top: 2,50 mm

Mer

Isolated: No