

11000 liter tank in Acid-proof 316



200 000 SEK /st exkl moms

Additional information: Manhole approx. 400 x 440 mm; 1 dent in the outlet extension

Volumetric volume (L): 11.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316 (V4A)



Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: yes

Max Overpressure: 3,50 Bar

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: 70

Agitator: yes

Number of revolutions: 90 - 390

Power: 18,50

Internal diameter tank: 2.310 mm

Cylinder height: 2.520 mm

Total height of tank: 5.250 mm

SKU: 407708

Mer information



Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single jacketed with heat-exchanger

Mobile Tank: No, it is not.

Övrig information: Manhole approx. 400 x 440 mm; 1 dent in the outlet extension; we can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 11000

Equipment

Product Dokument finns: No

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 2,520 mm

Internal diameter: 2,310 mm

Total Height: 5.250 mm

Stirrer

Power (kW): 18,50

Speed (RPM): 90 – 390



Mer

Isolated: No