

11100 liter tank in Acid-proof 316



95 000 SEK /st exkl moms

Volumetric volume (L): 11.100 L

Pressure in tank: ATM - atmosferic

Max. pressure (Bar): 1 Bar

Min. pressure (Bar): 0,25 Bar



Max. temperature (°C): 100 °C

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: no

Max Overpressure: 1 Bar

Max onderdruk: 0,25 Bar

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: flange

Top: 6 mm

Cylinder: 5 mm

Bottom: 5 mm

Internal diameter tank: 2.400 mm

Cylinder height: 1.865 mm

Total height of tank: 3.930 mm

SKU: 475474

Mer information



Product Description

Model: Vertical
New / Used: Used
Operating Pressure in Tank: ATM – atmospheric
Configuration: single-skin
Max. Service Temperature: 100 °C
Mobile Tank: No, it is not.
Agitator: No
Overpressure: 1 bar
Complete Drainage: No, it is not.
Vacuum Pressure: 0,25 bar
Pressure Vessel: Yes
Heating / Cooling: No
Volume in liters: 11100

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: Yes
Technical Drawing Available: No, it is not.

Tank Dimensions

Cylinder Height: 1.865 mm
Internal diameter: 2,400 mm
Total Height: 3,930 mm

Tjocklek på tank

Bottom: 5 mm
Cylinder: 5 mm
Top: 6 mm

Mer

Isolated: No

