

11500 liter tank in Acid-proof 316



92 000 SEK /st exkl moms

Additional information: dimethylanilin; Total height specified according to technical drawing

Volumetric volume (L): 11.500 L

Pressure in tank: pressure

Max. pressure (Bar): 1 Bar



Max. temperature (°C): 100 °C

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: flange DN80

Top: 4 mm

Cylinder: 4 mm

Bottom: 5 mm

Internal diameter tank: 2.000 mm

Cylinder height: 3.491 mm

Total height of tank: 6.600 mm

SKU: 475534

Mer information



Product Description

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure

Configuration: insulated

Max. Service Temperature: 100 °C

Mobile Tank: No, it is not.

Övrig information: dimethylanilin; Total height specified according to technical drawing

Agitator: No

Overpressure: 1 bar

Complete Drainage:

Pressure Vessel: Yes

Heating / Cooling: No

Volume in liters: 11500

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Tank Dimensions

Cylinder Height: 3.491 mm

Internal diameter: 2,000 mm

Total Height: 6.600 mm

Tjocklek på tank

Bottom: 5 mm

Cylinder: 4 mm

Top: 4 mm

Mer

Isolated: Yes

