

1169 liter tank in Acid-proof 316



199 000 SEK /st exkl moms

Volumetric volume (L): 1.169 L

Pressure in tank: ATM - atmospheric

Max. temperature (°C): 100 °C

Material wet parts: SS AISI 316 (V4A)



Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Max Overpressure: 2,50 Bar

Max. working temperature: 140 °C

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: yes

Outlet of tank: DN50 DIN 11851

Cylinder: 4 mm

Bottom: 4 mm

Internal diameter tank: 1.200 mm

Outer diameter tank: 1.360 mm

Cylinder height: 1.000 mm

Total height of tank: 1.900 mm

Empty weight tank: 400

SKU: 440858

Mer information



Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: insulated with heat-exchanger

Max. Service Temperature: 100 °C

Mobile Tank: No, it is not.

Övrig information: we can't give any guarantees about the heating/cooling jacket

Agitator: No

Complete Drainage: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 1169

Equipment

Product Dokument finns: No, it is not.

Agitator flange: Yes

Nameplate: No, it is not.

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 1.000 mm

Internal diameter: 1.200 mm

Total Height: 1.900 mm

Outer diameter: 1.360 mm

Tjocklek på tank

Bottom: 4 mm

Cylinder: 4 mm



Mer

Isolated: Yes

Weight: 400
