

11700 liter tank in Acid-proof 316



227 000 SEK /st exkl moms

Additional information: dairy; double jacket probably with drip ring - suitable only for cooling

Volumetric volume (L): 11.700 L

Pressure in tank: pressure

Max. pressure (Bar): 0,99 Bar



Max. temperature (°C): 99 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: yes

Max Overpressure: 0,99 Bar

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: available

Agitator: yes

Number of revolutions: 12 / 25

Power: 1.2 / 2.2

Internal diameter tank: 3.140 mm

Outer diameter tank: 3.250 mm

Cylinder height: 1.180 mm

Total height of tank: 4.650 mm

SKU: 391457



Mer information

Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure

Configuration: single jacketed with heat-exchanger

Max. Service Temperature: 99 °C

Mobile Tank: No, it is not.

Övrig information: dairy; double jacket probably with drip ring – suitable only for cooling; we can't give any guarantees about the agitator

Agitator: Yes

Overpressure: 0,99 bar

Complete Drainage: Yes

Pressure Vessel: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 11700

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 1.180 mm

Internal diameter: 3.140 mm

Total Height: 4.650 mm

Outer diameter: 3.250 mm



Stirrer

Power (kW): 1.2 / 2.2

Speed (RPM): 12 / 25

Mer

Isolated: No