

1174 liter tank in Syrafast 316



40 000 SEK /st exkl moms

Additional information: Diameter hand hole approx. 310 mm; some residues of previous content; Metallic discolouration inside

Volumetric volume (L): 1.174 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 0,50 Bar



Min. pressure (Bar): 1 Bar

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: available

Cylinder: 4,10 mm

Bottom: 4 mm

Internal diameter tank: 1.080 mm

Cylinder height: 870 mm

Total height of tank: 2.200 mm

SKU: 485090

Mer information



Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: Chemistry; Diameter handhole approx. 310 mm; some residues of previous content; Metallic discolouration inside

Agitator: No

Overpressure: 0,50 bar

Complete Drainage: Yes

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 1174

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 870 mm

Internal diameter: 1,080 mm

Total Height: 2,200 mm

**Tjocklek på tank**

Bottom: 4 mm

Cylinder: 4,10 mm

Mer

Isolated: No