1195 liter tank in Stainless 304

170 000 SEK /st exkl moms

Additional information: Designed as a storage tank for beer
Volumetric volume (L): 1.195 L
Pressure in tank: pressure
Max. pressure (Bar): 3 Bar

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Min. pressure (Bar): 3 Bar

Max. temperature (°C): 50 °C
Material wet parts: SS AISI 304 (V2A)
Model: vertical
Configuration: insulated
Heat exchanger: no

Insulation: yes
Mobile tank: no
Total discharge: yes
Volume: 2 L
Max Overpressure: 6 Bar

Max. working temperature: 50 °C
Heat exchanger: RVS 304
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes

Flange for agitator: no
Position of manway: cylinder
Outlet of tank: DN40 DIN 11851
Internal diameter tank: 1.000 mm
Outer diameter tank: 1.200 mm

Cylinder height: 1.250 mm
Total height of tank: 2.340 mm

SKU: 393095

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Mer information

Product Description

Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank: pressure
Configuration: isolert med varmeveksler
Max. Service Temperature: 50 °C
Mobile Tank: No, it is not.
Övrig information: Designed as a storage tank for beer; we can't give any guarantees about the heating/cooling jacket
Agitator: No
Overpressure: 3 bars
Complete Drainage: Yes
Vacuum Pressure: 3 bars
Pressure Vessel: Yes
Heating / Cooling: Yes
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 1195

Equipment

Product Dokument finns: No
Agitator flange: No
Nameplate: Yes
Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 1.250 mm
Internal diameter: 1.000 mm
Total Height: 2.340 mm
Outer diameter: 1.200 mm

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Mer

Heat Exchanger: RVS 304
Isolated: Yes

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor