1200 liter tank in Acid-proof 316

21 000 SEK /st exkl moms

Additional information: 4-legged frame made of stainless steel 304; cone height approx. 650 mm; manhole diameter approx. 410 mm (fastening screws partially incomplete); 7 containers with stacking ring in the upper bottom; hand lever of the disk taps partially slightly bent or incomplete); containers partially with stronger dents; traces of usage
Volumetric volume (L): 1.200 L

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 316 (V4A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: headside

Outlet of tank: DN65 DIN 11851
Internal diameter tank: 1.190 mm
Cylinder height: 740 mm
Total height of tank: 2.200 mm
Empty weight tank: 650

SKU: 488759

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Product Description

Material: Acid-resistant 316
Model: Vertical
New / Used: Used
Operating Pressure in Tank: ATM – atmospheric
Configuration: single-skin
Mobile Tank: No, it is not.
Övrig information: Cosmetics; 4-legged frame made of stainless steel 304; cone height approx. 650 mm; manhole diameter approx. 410 mm (fastening screws partially incomplete); 7 containers with stacking ring in the
Additional Information2: upper bottom; hand lever of the disk taps partially slightly bent or incomplete); containers partially with stronger dents; traces of usage
Agitator: No
Complete Drainage: Yes
Heating / Cooling: No
Contact Surface: SS AISI 316 (V4A)
Volume in liters: 1200

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: No, it is not.
Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 740 mm
Internal diameter: 1,190 mm
Total Height: 2,200 mm

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Mer
Isolated: No
Weight: 650

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se