12000 liters tank in Stainless 304

91 000 SEK /st exkl moms

Additional information: Wine storage; 1 manhole approx. 320 x 420 mm in the cylinder; Tanks have been professionally cleaned and overhauled by the manufacturer in 2024; brand new residual drain valves (reduce outlet to DN 50 DIN 11851 (with disc valve)), sampling valves and manhole seals were installed
Volumetric volume (L): 12.000 L
Pressure in tank: ATM - atmosferic

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: cylinder

Outlet of tank: 100
Top: 2,50 mm
Cylinder: 2 mm
Bottom: 3 mm
Internal diameter tank: 2.300 mm

Cylinder height: 2.420 mm
Total height of tank: 3.700 mm
Empty weight tank: 950

SKU: 440261

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Product Description

Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank: ATM – atmospheric
Configuration: single-skin
Mobile Tank: No, it is not.
Övrig information: Wine storage; 1 manhole approx. 320 x 420 mm in the cylinder; Tanks have been professionally cleaned and overhauled by the manufacturer in 2024; brand new residual drain valves (reduce outlet to DN
Additional Information2: 50 DIN 11851 (with disc valve)), sampling valves and manhole seals were installed
Agitator: No
Complete Drainage: Yes
Heating / Cooling: No
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 12000

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: No, it is not.
Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 2,420 mm
Internal diameter: 2,300 mm
Total Height: 3,700 mm

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Tjocklek på tank

Bottom: 3 mm
Cylinder: 2 mm
Top: 2,50 mm

Mer

Isolated: No
Weight: 950

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor