

120000 liters tank in Acid-proof 316



480 000 SEK /st exkl moms

Additional information: Manhole diameter: 500 mm; some residues of previous content

Volumetric volume (L): 120.000 L

Pressure in tank: ATM - atmosferic

Max. temperature (°C): 100 °C



Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: available

Top: 4 mm

Cylinder: 4 mm

Bottom: 8 mm

Internal diameter tank: 3.500 mm

Cylinder height: 11.500 mm

Total height of tank: 13.600 mm

Empty weight tank: 5.500

SKU: 568823

Mer information



Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank:

Configuration: single-skin

Max. Service Temperature: 100 °C

Mobile Tank: No, it is not.

Övrig information: Manhole diameter: 500 mm; some residues of previous content

Agitator: No

Complete Drainage:

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 120000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 11.500 mm

Internal diameter: 3.500 mm

Total Height: 13.600 mm

Tjocklek på tank

Bottom: 8 mm

Cylinder: 4 mm

Top: 4 mm



Mer

Isolated: No

Weight: 5.500
